



AERODROME CHART - ICAO

ARP
N47 26 22
E019 13 43 AERODROME ELEV 496



BUDAPEST TOWER	118.100	BUDAPEST APRON 1	131.550
BUDAPEST GROUND	121.900	BUDAPEST APRON 2	122.450
BUDAPEST DELIVERY	134.550		

RWY	DIRECTION	THR	BEARING	STRENGTH	TORA	TODA	ASDA	LDA
13R	128°	N47 26 55, E019 13 15	PCN 65/R/B/X/T		3010	3010	3010	3010
31L	308°	N47 25 50, E019 15 01	PCN 65/R/B/X/T		3010	3010	3010	3010
13L	128°	N47 26 44, E019 15 27	PCN 75/R/B/X/T		3707	3707	3707	3707
31R	308°	N47 25 23, E019 17 38	PCN 75/R/B/X/T		3707	3707	3707	3707

Apron 1 PCN 50/R/B/X/T
Apron 2, APRON AG, APRON AA, APRON AL PCN 75/R/B/X/T
Taxiways: A1, B1, C, D PCN 60/F/B/X/T
Taxiways: A2-A9, B2-B5, J4, K, L, M, N, T, U, X, Y, Z PCN 75/F/B/X/T
Taxiway width: 23 m, exception A1: 19 m.
Remark: TWY A1 downgraded to code C ACFT (max. wingspan 36.00m).



FOR BASIC CHART SYMBOLS SEE: GEN 3.2.
INS COORDINATES FOR AIRCRAFT STANDS SEE: PDC CHARTS.
TAXI PROCEDURES SEE: AD 2-LHBP-MISC CHARTS.
VISUAL DOCKING GUIDANCE SYSTEM: SAFE-GATE 2-18 AT PARKING POSITIONS 31-34, 39, 42-45.
APRON ELEVATION: NOT AVAILABLE.
GEOGRAPHICAL COORDINATES FOR TWY CENTERLINES: NOT AVAILABLE.
OBSTACLE TO TAXIING: NOT AVAILABLE.



LIGHTING

RWY 13L/31R and RWY 13R/31L
Approach: Cat. II/III. High intensity white unidirectional (900 m), variable in 5 stages. From 900 m to 300 m flashing centre line.
Thresholds: Low intensity green unidirectional, variable in 5 stages, with 2x10 m wing bar lights.
Touch down zone: High intensity white unidirectional, variable in 5 stages.
PAPI: 3.00° (METH: see in chart).
Runway edge: High intensity white unidirectional, variable in 5 stages. Last 600 m yellow. Low intensity white omnidirectional, variable in 5 stages. First and last 600 m yellow. Edge light spacing: 60 m.
Runway centre line: High intensity unidirectional, variable in 5 stages. White to 900 m before runway end. Red/white from 900 m to 300 m before runway end. Red on the last 300 m of runway. Center line light spacing: 15 m.
Runway ends: Low intensity red unidirectional.

TWY
Taxiway edge: Low intensity omnidirectional blue.
Taxiway centre line: Low intensity unidirectional green on taxiways Z, Y and J4. Low intensity bi-directional green on taxiways A2-A9, B2-B5, N, T, and U.
Apron: Low intensity red edge lights and floodlights.
Obstacle light: Low intensity red.

THE PAGE INTENTIONALLY LEFT BLANK